



EMR Quick Reference Guide

Documentation - Documenting VTE Risk Assessment

Please refer to the "Accessing EMR Dashboards- VTE Risk Assessment" QRG on how to review VTE risk assessment completion rates by unit / department

You can navigate to the VTE Risk Assessment Form in 2 ways
[1\) As part of an admission](#) or [2\) By selecting the form directly](#)

Click here to jump to:
[How to use the VTE Risk Assessment Form](#)

Note: If VTE Risk Assessment has not been completed, an alert with the option to document will appear when entering any medications.

Navigate to the VTE Risk Assessment Form

As part of an admission

1. Select and open the patient chart for whom you wish to document VTE Risk for
2. Select **Medical Officer View** from the Table of Contents on the left hand side

3. Select the **Admit**  Tab from within the workspace


4. Select the **VTE Risk** tab or scroll down to navigate to VTE Risk within the workspace




5. The VTE Risk Assessment form will pop up in a new window


Alternatively,

By selecting the form directly

1. Select and open the patient chart for whom you wish to document VTE Risk for
2. Select  from the navigation bar



3. The following window will open:



The VTE Risk Assessment form will pop up in a new window

How to use the VTE Risk Assessment Form

3 Select the green tick once mandatory fields have been filled out

1

2 Fill in mandatory VTE Risk field

VTE Prophylaxis Adult Risk Assessment

INSTRUCTIONS: Use the Calculator Tool below to select criteria that apply to your patient, this automatically calculates risk. Reference data on the right helps in your decisions. Alternatively, a risk can be manually assigned based on clinical judgement.

VTE Risk Calculator Tool

Select any that are relevant:

- BMI 35 - 40
- BMI > 40
- Fibrinogen > 4g/L
- Active cancer
- Age > 60
- Platelet count > 350
- Duration of anaesthesia
- Pregnant
- Known thrombophilia
- Acutely unwell
- Heart Failure/MI in last 6 weeks
- > 4 days immobility before admission
- Major surgery
- Prior VTE
- Contraceptive Pill/Estrogen HRT
- Limited mobility > 2 days

Automatically calculated Risk Score: []

VTE Risk

- High Risk
- Intermediate Risk
- Low Risk

LOW RISK: Prophylaxis not indicated
 INTERMEDIATE RISK: At least one form of prophylaxis required, preferably enoxaparin
 HIGH RISK: Consider both pharmacological AND mechanical prophylaxis

Is prophylaxis contraindicated? Yes

Reference Data

No results found for Fibrinogen Level for this encounter
 No Platelet Count Available
 Complete VTE Risk Field EACH time if updates to VTE Risk or Contraindications are required
Low Risk (Charted on 24-JUL-2019 09:28 by Lewis, Briannah - RN)

In Progress

Documented VTE Risk will appear in documents and continuous notes

Menu: Patient Summary, GP View, Histories, Allergies/Sensitivities, Dx, Problems/Alerts, Dx, Current Procedures, Medications, MAR, MAR Summary, Orders, Results Review, Interactive View and Fluid Balance, Observation Chart, **Documentation**, Patient Information, Notes, Immunisation, Activities and Interventions, Form Browser, My Health Record, Growth Chart, Continuous Notes

Documentation

Document Type: Height and Weight - Text
 Document Date: 20 Feb, 2020 12:26 AEDT
 Document Status: Auth (Verified)
 Document Title/Subject: VTE WH Risk assessment
 Performed By/Author: Boo, Ann on 20 Feb, 2020 12:26 AEDT
 Verified By: Boo, Ann on 20 Feb, 2020 12:26 AEDT
 Visit info: IPE4811818, Footscray, Inpatient, 06/06/2019 -

VTE WH Risk assessment Entered On: 20/02/2020 12:26 AEDT
Performed On: 20/02/2020 12:26 AEDT by Boo, Ann

Risk Assessment
 VTE ST Fibrinogen: No results found for Fibrinogen Level for this encounter
 VTE ST Pit: No results found for Pit for this encounter
 VTE Pregnant: Pregnant
 VTE Risk Score: 2
 VTE risk: Intermediate Risk

Boo, Ann - 20/02/2020 12:26 AEDT