Observations – Altering Calling Criteria – Acute & Chronic



Digital Health Quick Reference Guide

This Quick Reference Guide will explain how to:

- Alter Acute Calling Criteria
- Altering Chronic Calling Criteria

Altering Acute Calling Criteria 1. Click on the ACC/NRR button on Adult the Observation Chart Not specified. Follow local protocols. Frequency ACC/NRR Review by: not specified 2. Select the observation that is to Alterations to Calling Criteria: be altered Respiratory Rate SpO2 Systolic Blood Pressure Heart Rate Temperature 3. Select the option Acute and enter SpO2 the values to be altered 🖌 Alter 🔲 Reset Acute - Resets in hours O Chronic - Will not reset during the patient's encounter Criteria Altered Value Default Value Normal: 88 to 100 93 to 100 Yellow - ucr Zone (Lower) is below: 88 93 Red - met call Zone (Lower) is below: 86 90

4. Decide on the **duration** of the Altered Acute Calling Criteria

Acute - Resets in 4

hours

Observations - Altering Calling Criteria – Acute and Chronic



5. Fill in the Authorizing Medical Officer field		Authoris smith,	ing Medical Officer:
Enter the attending MO's <u>surname</u> , <u>first-name</u> and select the search icon to find a list of MOs	Authorising Medical Officer:	Name	Smith,Andrew
	Use attending doctor	Name	Smith,Benjamin

6. Provide a **Rationale for Alterations to Calling Criteria** (Minimum 20 characters required)

Rationale for Alterations: (Min 20 character, Max 255 character limit) COPD patient - Aim O2 sats 88-92%

7. Finish by clicking the green tick

The altered criteria will show on the observations chart.

Acute alterations set indicate that an acute Altered Calling Criteria is active.



ACC/NRR Acute alterations set

Altering Chronic Calling Criteria

NOTE: Chronic Altered Calling Criteria will <u>not</u> automatically reset and remain throughout the whole encounter and will need to be regularly reviewed

1. Click on the ACC/NRR button on the Observation Chart

Adult



2. Select the **observation** that is to be altered

Alterations to Calling Criteria:

- Respiratory Rate
- SpO2
- Systolic Blood Pressure
- Heart Rate
- Temperature



V Sn02



	🗹 Alter 🔲 Reset						
	 Acute - Resets in 	hours					
 Chronic - Will not reset during the patient's encounter 							
	Criteria	Altered Value	Default Value				
	Normal:	88 to 100	94 to 100				
	Yellow - ucr Zone (Lower) is below:	88	94				
	Red - met call Zone (Lower) is below:	86	90				

4. Decide on the **Review Period**



5. Fill in the Authorizing Medical Officer field

Enter the attending MO's <u>surname</u>, <u>first-name</u> and select the search icon to find a list of MOs.

Authorising Medical Officer:



 Provide a Rationale for Alterations to Calling Criteria (Minimum 20 characters required)

7. Finish by clicking the green tick

- 8. The altered criteria will show on the observations chart
- 9. The time of review is displayed next to the ACC/NRR button

Rationale for Alterations: (Min 20 character, Max 255 character limit)

COPD patient - Aim O2 sats 88-92%









Digital Health