


Clinical Care – Patient has an Adrenaline Auto-injector In the Community (Medical)



1. If a **patient carries an Adrenaline Auto-injector in the community**, it must be documented on EMR (via Problems/Alerts). This triggers an alert to prompt clinicians during each admission to ask about the auto-injector and manage accordingly
2. If the patient has **brought their own Adrenaline Auto-injector from home into hospital** – clinicians must document that the ASCIA Action Plan has been sighted (or completed) and prescribe the patient’s own auto-injector as a PRN order

Add a Problem/Alert:


1. Click on [Dx, Problems/Alert](#) from the Table of Contents (TOC)



2. Click **+Add** under ‘Problems’



3. Click **Folders** icon. Navigate through **Common Alerts -> Medical -> Select “Meds - Patient has an adrenaline auto-injector in the community”**



4. Click **OK** to confirm and add



Sighting/Completing the ASCIA Anaphylaxis Action Plan and Prescribing Adrenaline Auto-injector:

1. Driven by the problem/alert above, an **alert** will display when any order is placed on the patient's chart

*Note: If no options are selected and **OK** is used to proceed, the alert will trigger again when placing an order at a later time*

Patient has an adrenaline auto-injector in the community

This patient has an **Adrenaline Autoinjector for Anaphylaxis** in the community.

If patient has brought in own adrenaline auto-injector, please ensure:

1. Patient's **ASCIA Action Plan** has been sighted/completed (Tick below to acknowledge as done)
2. **Adrenaline Autoinjector PRN Once Only** has been ordered on the MAR
3. Click **OK** and close this window

[Click here for the ASCIA Action Plan](#)

Add orders for:

- Acknowledge Dr Sighted/Completed ASCIA plan
- EpiPen Jr Auto-Injector -> 150 MICROg, IM, Pre-filled Pen, ONCE only, PRN for anaphylaxis, Patient's Own Meds
- EpiPen Auto-Injector -> 300 MICROg, IM, Pre-filled Pen, ONCE only, PRN for anaphylaxis, Patient's Own Meds
- Anapen Junior Auto-Injector -> 150 MICROg, IM, Pre-filled Pen, ONCE only, PRN for anaphylaxis, Patient's Own Meds
- Anapen Auto-Injector -> 300 MICROg, IM, Pre-filled Pen, ONCE only, PRN for anaphylaxis, Patient's Own Meds
- Anapen Auto-Injector -> 500 MICROg, IM, Pre-filled Pen, ONCE only, PRN for anaphylaxis, Patient's Own Meds

2. If patient has **brought their own** auto-injector to hospital, follow the prompts in the alert

This patient has an **Adrenaline Autoinjector for Anaphylaxis** in the community.

If patient has brought in own adrenaline auto-injector, please ensure:

1. Patient's **ASCIA Action Plan** has been sighted/completed (Tick below to acknowledge as done)
2. **Adrenaline Autoinjector PRN Once Only** has been ordered on the MAR
3. Click **OK** and close this window

[Click here for the ASCIA Action Plan](#)

3. Once completed, tick the **'Acknowledge Dr Sighted/Completed ASCIA plan'** box

Add orders for:

Acknowledge Dr Sighted/Completed ASCIA plan

4. Select the appropriate order to **prescribe** the patient's own adrenaline auto-injector on the EMR

Add orders for:

- Acknowledge Dr Sighted/Completed ASCIA plan
- EpiPen Jr Auto-Injector -> 150 MICROg, IM, Pre-filled Pen, ONCE only, PRN for anaphylaxis, Patient's Own Meds
- EpiPen Auto-Injector -> 300 MICROg, IM, Pre-filled Pen, ONCE only, PRN for anaphylaxis, Patient's Own Meds
- Anapen Junior Auto-Injector -> 150 MICROg, IM, Pre-filled Pen, ONCE only, PRN for anaphylaxis, Patient's Own Meds
- Anapen Auto-Injector -> 300 MICROg, IM, Pre-filled Pen, ONCE only, PRN for anaphylaxis, Patient's Own Meds
- Anapen Auto-Injector -> 500 MICROg, IM, Pre-filled Pen, ONCE only, PRN for anaphylaxis, Patient's Own Meds

5. Sign the order and check the MAR