

Alerts - Add Interpreter Alert



This Quick Reference Guide will explain how to:

Add an Interpreter Alert in EMR


1. Click on **Dx, Problems/Alerts** from the Table of Contents (TOC) in the EMR.

Dx, Problems/Alerts


2. Click on **+ Add** under **Problems**.



3. To add an Interpreter needed alert, click on the **Common Alerts** folder.



4. Select the **Administration** folder.



5. Select **Interpreter needed**.

Term	Code	Terminology
Home Visit Risk - Aggression	HVR - Aggression	Alert
Home Visit Risk - Always Send Two Staff Members	HVR - Send Two Staff	Alert
Home Visit Risk - Animals At Home	HVR - Animals At Home	Alert
Home Visit Risk - Behaviours Of Concern	HVR - Behav Of Concern	Alert
Home Visit Risk - Client Resides In Bushfire Zone	HVR - Bushfire Zone	Alert
Home Visit Risk - Hazards in the Home	Home Visit Risk - Hazard	Alert
Home Visit Risk - Other	Home Visit Risk - Other	Alert
Interpreter needed	Interpreter needed	Alert
Patient Preference - Family Member Present During Care	Pat Pref - Family Member	Alert

6. This will populate in the Problem Window. Complete the information and select **OK**.

***Problem**
Interpreter needed Free Text Responsible Provider: [Search]
Display As: Interpreter needed At: Age: [] Onset Date: []
***Confirmation** Final ***Classification** Clinical History ***Status** Active Cancel Reason: []
Ranking: [] Resolved At: Age: [] Resolved Date: []
 File to Past Medical History **OK**

7. **Refresh** the screen. The alert will update the blue banner bar and in the Problems/Alerts section of the mPage (ISBAR Handover or Outpatients).

SMITH, ANDREW TRAIN150
Allergies: Allergies Not Recorded
Alerts: Recorded

